

## ARTWORK WITH BORDERS

Minimum border thickness must be 1/4 (0.25") thick plus the 1/8 (0.125") bleed for correct print ready artwork. Total border size from the bleed line is 3/8 (0.375"). Border example on the left.

**bleed** →

Artwork that reaches the cutline needs to extend to the edge of the **red line**.

**cut line** →

This is where your artwork will be trimmed.  
(Finished size ordered)

**safety** →

All text must be kept within the **blue line**

Text Safety for a Booklet  
80 pages and over is 0.5"  
(1/2") from the cutline.

0.5"  
(1/2")



*6" x 6" Booklet  
80 Pages and Over*

*Front Cover*

*Inside Front Cover*









*Inside Back Cover*

Presorted  
First Class Mail  
US Postage  
**PAID**  
Oakland, CA  
Permit #2319

**bleed**

Artwork that reaches the  
cutline needs to extend to  
the edge of the **red line**.

**cut line**

This is where your artwork  
will be trimmed.  
(Finished size ordered)

**safety**

All text must be kept within the  
**blue line**

0.5"  
(1/2")

Text Safety for a Booklet  
80 pages and over is 0.5"  
(1/2") from the cutline.



*6" x 6" Booklet  
80 Pages and Over  
First Class Mailing*

**ARTWORK WITH BORDERS**

Minimum border thickness  
must be 1/4 (0.25") thick plus  
the 1/8 (0.125") bleed for correct  
print ready artwork. Total border  
size from the bleed line is  
3/8 (0.375"). Border example  
on the left.

**AREA MUST REMAIN CLEAR**

area for mailing address only

3.625"

postal marking area  
5/8" minimum for barcode

0.625"